NSN 5962-01-350-5826

Memory Microcircuit - Page 1 of 2

40 printed circuit



View Online at https://aerobasegroup.com/nsn/5962-01-350-5826

Occupably Languides
Overall Length:
2.096 inches
Overall Height:
0.425 inches
Body Length:
2.096 inches
Body Width:
Between 0.510 inches and 0.620 inches
Body Height:
Between 0.155 inches and 0.210 inches
Maximum Power Dissipation Rating:
1.1 watts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+125.0 degrees celsius
Features Provided:
Ultraviolet erasable and monolithic and programmed and w/inhibit
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
N-type metal oxide-semiconductor logic
Input Circuit Pattern:
19 input
Case Outline Source And Designator:
D-5 mil-m-38510
Current Rating Per Characteristic:
50.00 milliamperes reverse current, dc blank
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
-0.6 volts power source and 7.0 volts power source
Capitance Rating Per Characteristic:
6.00 input picofarads and 12.00 output picofarads
Memory Device Type:
Eprom
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:

NSN 5962-01-350-5826

Memory Microcircuit - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0