## NSN 5962-01-350-8785

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-350-8785

Overall Height:					
0.425 inches					
Body Length:					
2.430 inches					
Body Width:					
Between 0.510 inches and 0.620 inches					
Body Height:					
0.205 inches					
Maximum Power Dissipation Rating:					
1.0 watts					
Operating Tempurature Range:					
-55.0/+125.0 degrees celsius					
Storage Tempurature Range:					
-65.0/+150.0 degrees celsius					
Features Provided:					
Electrostatic sensitive and hermetically sealed and burn in and w/enable					
Inclosure Material:					
Ceramic					
Inclosure Configuration:					
Dual-in-line					
Output Logic Form:					
Complementary-metal oxide-semiconductor logic					
Input Circuit Pattern:					
44 input					
Criticality Code Justification:					
Feat					
Design Function And Quantity:					
1 microprocessor					
Current Rating Per Characteristic:					
60.00 milliamperes supply					
Terminal Surface Treatment:					
Solder					
Product Name:					
Microprocessor slice					
Voltage Rating And Type Per Characteristic:					
7.0 volts power source					
Capitance Rating Per Characteristic:					
5.00 input picofarads and 7.00 output picofarads					
Time Rating Per Chacteristic:					

Special Features:

Nuclear hardness critical item

30.00 nanoseconds delay

## NSN 5962-01-350-8785

Digital Microcircuit - Page 2 of 2



٦	Taet	Data	Do	cun	nant
1	ı est	vala	υu	Cun	Henr

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

**Terminal Type And Quantity:** 

48 printed circuit

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

Yes - demil/mli

Fiig:

A458a0