NSN 5962-01-351-3055

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-351-3055

Overall Length:	
0.840 inches	
Overall Height:	
0.400 inches	
Body Length:	
0.840 inches	
Body Width:	
Between 0.220 inches and 0.310 inches	
Body Height:	
Between 0.140 inches and 0.185 inches	
Maximum Power Dissipation Rating:	
75.0 milliwatts	
Operating Tempurature Range:	
55.0/+125.0 degrees celsius	
itorage Tempurature Range:	
65.0/+150.0 degrees celsius	
eatures Provided:	
Aonolithic and burn in and positive outputs	
nclosure Material:	
Ceramic	
nclosure Configuration:	
Dual-in-line	
Dutput Logic Form:	
Complementary-metal oxide-semiconductor logic and transistor-transistor logic	
nput Circuit Pattern:	
3 input	
Criticality Code Justification:	
Feat	
Design Function And Quantity:	
I driver and 1 receiver	
Current Rating Per Characteristic:	
0.00 milliamperes reverse current, dc absolute	
Ferminal Surface Treatment:	
Solder	
/oltage Rating And Type Per Characteristic:	
5.0 volts power source	
Special Features:	
tem must comply with requirements of defense electronics supply center production standard no. L04440; for navy r	nuclear propulsion plant
products only	
Fest Data Document:	
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).	
Terminal Type And Quantity:	

16 printed circuit

NSN 5962-01-351-3055

Digital Microcircuit - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A458a0

