## NSN 5962-01-351-4980

Memory Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-351-4980

## **Body Length:** 2.435 inches **Body Width:** Between 0.510 inches and 0.620 inches **Body Height:** 0.210 inches **Maximum Power Dissipation Rating:** 1.0 watts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Burn in and monolithic and static operation **Inclosure Material:** Ceramic **Inclosure Configuration:** Dual-in-line **Output Logic Form:** Complementary-metal oxide-semiconductor logic **Input Circuit Pattern:** 44 input **Case Outline Source And Designator:** D-14 mil-m-38510 **Current Rating Per Characteristic:** 600.00 milliamperes reverse current, dc absolute **Terminal Surface Treatment:** Gold **Product Name:** Microcircuit, digital, memory static ram Voltage Rating And Type Per Characteristic: -0.5 volts power source and 7.0 volts power source **Time Rating Per Chacteristic:** 45.00 nanoseconds access Memory Device Type: Ram **Precious Material And Location:** Terminal surfaces gold **Precious Material:** Gold **Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

## NSN 5962-01-351-4980

Memory Microcircuit - Page 2 of 2



## Terminal Type And Quantity:

48 printed circuit

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A458a0