## NSN 5962-01-351-7253

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-351-7253

Overal	1110	nat	h٠
Overa	пье	mat	n:

Between 1.135 inches and 1.165 inches

**Overall Height:** 

Between 0.268 inches and 0.272 inches

Overall Width:

Between 1.135 inches and 1.165 inches

**Body Length:** 

Between 1.135 inches and 1.165 inches

**Body Width:** 

Between 1.135 inches and 1.165 inches

**Body Height:** 

Between 0.098 inches and 0.122 inches

**Maximum Power Dissipation Rating:** 

3.0 watts

**Operating Tempurature Range:** 

+0.0/+70.0 degrees celsius

**Storage Tempurature Range:** 

-65.0/+150.0 degrees celsius

**Features Provided:** 

Programmable and high performance and monolithic

Inclosure Material:

Ceramic

**Inclosure Configuration:** 

Pin grid array

**Output Logic Form:** 

Transistor-transistor logic

**Design Function And Quantity:** 

1 microprocessor

**Current Rating Per Characteristic:** 

600.00 milliamperes supply

**Terminal Surface Treatment:** 

Solder

**Product Name:** 

High integration microprocessor

Voltage Rating And Type Per Characteristic:

-1.0 volts power source and 7.0 volts power source

**Capitance Rating Per Characteristic:** 

20.00 input picofarads and 20.00 output picofarads

**Terminal Type And Quantity:** 

68 pin

Shelf Life:

N/a

## NSN 5962-01-351-7253

Digital Microcircuit - Page 2 of 2



			ure:	

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0