Digital-linear Microcircuit - Page 1 of 2



manufactureer standards, etc.).

View Online at https://aerobasegroup.com/nsn/5962-01-351-8931

Overall Length:
1.280 inches
Overall Height:
0.400 inches
Body Length:
1.280 inches
Body Width:
Between 0.220 inches and 0.310 inches
Body Height:
Between 0.140 inches and 0.185 inches
Maximum Power Dissipation Rating:
1.0 watts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
High speed and monolithic and asynchronous and synchronous
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Complementary-metal oxide-semiconductor logic
Input Circuit Pattern:
20 input
Design Function And Quantity:
1 converter, analog to digital
Case Outline Source And Designator:
D-7 mil-m-38510
Current Rating Per Characteristic:
12.00 milliamperes reverse current, dc absolute
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
-0.3 volts power source and 7.0 volts power source
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual
Terminal Type And Quantity:
24 printed circuit
Shelf Life:
N/a

## NSN 5962-01-351-8931

Digital-linear Microcircuit - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

Yes - demil/mli

Fiig:

A458a0

