# NSN 5962-01-352-4685

Hybrid Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-352-4685

# Overall Height:

0.490 inches

# Body Length:

Between 1.980 inches and 2.000 inches

# Body Width:

Between 0.980 inches and 1.000 inches

#### **Body Height:**

0.230 inches

#### **Maximum Power Dissipation Rating:**

500.0 milliwatts

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **Features Provided:**

Hermetically sealed and burn in and monolithic and hybrid and w/clock and electrostatic sensitive

#### Inclosure Material:

Ceramic

#### Inclosure Configuration:

Dual-in-line

### **Design Function And Quantity:**

1 driver

#### **Current Rating Per Characteristic:**

24.20 milliamperes reverse current, dc absolute

#### **Terminal Surface Treatment:**

Solder

#### **Product Name:**

Sourcing driver

#### Voltage Rating And Type Per Characteristic:

7.0 volts power source

#### Hybrid Technology Type:

Monolithic

#### Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

#### Terminal Type And Quantity:

38 pin

### Shelf Life:

N/a

#### Unit Of Measure:

---

# Demilitarization:

Yes - demil/mli

# NSN 5962-01-352-4685

Hybrid Microcircuit - Page 2 of 2

**Fiig:** A458a0

