NSN 5962-01-353-1621

Memory Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-353-1621

	View Online at https://aerobasegroup.com/nsn/5962-01-353-1621
	Overall Length:
	1.280 inches
	Overall Height:
(0.400 inches
I	Body Length:
	1.280 inches
I	Body Width:
I	Between 0.220 inches and 0.310 inches
I	Body Height:
I	Between 0.140 inches and 0.185 inches
I	Maximum Power Dissipation Rating:
	1.2 watts
	Operating Tempurature Range:
	-55.0/+125.0 degrees celsius
:	Storage Tempurature Range:
	-65.0/+150.0 degrees celsius
I	Features Provided:
I	Programmed and w/clock and w/disable and asynchronous and monolithic
I	Inclosure Material:
0	Ceramic
I	Inclosure Configuration:
I	Dual-in-line
	Output Logic Form:
0	Complementary-metal oxide-semiconductor logic
I	Input Circuit Pattern:
	22 input
0	Case Outline Source And Designator:
I	D-9 mil-m-38510
0	Current Rating Per Characteristic:
	100.00 milliamperes reverse current, dc blank
•	Terminal Surface Treatment:
	Solder
I	Product Name:
	And-or-logic array
1	Voltage Rating And Type Per Characteristic:
	-0.5 volts power source and 7.0 volts power source
0	Capitance Rating Per Characteristic:
	10.00 input picofarads and 10.00 output picofarads
•	Time Rating Per Chacteristic:
	25.00 nanoseconds access
I	Memory Device Type:
	Memory Device Type.

NSN 5962-01-353-1621

Memory Microcircuit - Page 2 of 2



Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

Terminal Type And Quantity:

24 printed circuit

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A458a0