NSN 5962-01-353-8024

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-353-8024

View Offilite at https://defobasegroup.com/nsi//0302-01-000-002-4
Overall Length:
Between 0.660 inches and 0.785 inches
Overall Height:
0.400 inches
Body Length:
Between 0.660 inches and 0.785 inches
Body Width:
Between 0.220 inches and 0.290 inches
Body Height:
Between 0.145 inches and 0.185 inches
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Electrostatic sensitive and monolithic and burn in
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Input Circuit Pattern:
7 input
Design Function And Quantity:
1 amplifier, operational, sample/hold
Current Rating Per Characteristic:
10.00 milliamperes forward current, peak total value not applicable
Terminal Surface Treatment:
Solder
Product Name:
Fast sample and hold
Voltage Rating And Type Per Characteristic:
40.0 volts input/output differential
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
14 printed circuit
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:

Yes - demil/mli

NSN 5962-01-353-8024

Linear Microcircuit - Page 2 of 2



Fiig:

A458a0