

View Online at <https://aerobasegroup.com/nsn/5962-01-354-0511>

**Overall Length:**

Between 0.665 inches and 0.935 inches

**Body Length:**

Between 0.165 inches and 0.185 inches

**Body Outside Diameter:**

Between 0.335 inches and 0.370 inches

**Overall Diameter:**

Between 0.335 inches and 0.370 inches

**Maximum Power Dissipation Rating:**

140.0 milliwatts

**Operating Temperature Range:**

-55.0/+125.0 degrees celsius

**Storage Temperature Range:**

-65.0/+150.0 degrees celsius

**Features Provided:**

High speed and monolithic and w/enable

**Inclosure Material:**

Metal

**Inclosure Configuration:**

Can

**Input Circuit Pattern:**

2 input

**Design Function And Quantity:**

1 comparator

**Case Outline Source And Designator:**

A-2 mil-m-38510

**Current Rating Per Characteristic:**

35.00 milliamperes reverse current, dc absolute

**Terminal Surface Treatment:**

Solder

**Voltage Rating And Type Per Characteristic:**

-7.0 volts power source and 7.0 volts power source

**Time Rating Per Characteristic:**

16.00 nanoseconds propagation delay

**Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

**Terminal Type And Quantity:**

10 pin

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A458a0