NSN 5962-01-354-8345

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-354-8345

view Offline at https://defobasegroup.com/nsn/3302-01-334-0343
Overall Length:
Between 1.060 inches and 1.095 inches
Overall Height:
0.325 inches
Body Length:
Between 1.060 inches and 1.095 inches
Body Width:
Between 0.370 inches and 0.400 inches
Body Height:
0.185 inches
Maximum Power Dissipation Rating:
1.0 watts
Operating Tempurature Range:
+0.0/+70.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Bipolar and schottky and monolithic and w/enable and w/open collector
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Transistor-transistor logic
Input Circuit Pattern:
10 input
Design Function And Quantity:
1 generator, pulse
Current Rating Per Characteristic:
45.00 milliamperes reverse current, dc absolute
Terminal Surface Treatment:
Solder
Product Name:
Current pulse generator
Voltage Rating And Type Per Characteristic:
-0.5 volts power source and 7.0 volts power source
Capitance Rating Per Characteristic:
10.00 input picofarads
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

22 printed circuit

Terminal Type And Quantity:

NSN 5962-01-354-8345

Digital Microcircuit - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0