# NSN 5962-01-355-3764

Memory Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-355-3764

Body	Length:
------	---------

1.280 inches

**Body Width:** 

Between 0.220 inches and 0.310 inches

**Body Height:** 

Between 0.140 inches and 0.185 inches

**Maximum Power Dissipation Rating:** 

1.2 watts

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### **Storage Tempurature Range:**

-65.0/+150.0 degrees celsius

#### **End Application:**

Pod, electronic countermeasure an/alq-184

#### **Features Provided:**

Hermetically sealed and burn in and monolithic and electrostatic sensitive

#### **Inclosure Material:**

Ceramic

# **Inclosure Configuration:**

Dual-in-line

# **Output Logic Form:**

Complementary-metal oxide-semiconductor logic

#### **Input Circuit Pattern:**

22 input

# **Case Outline Source And Designator:**

D-9 mil-m-38510

## **Current Rating Per Characteristic:**

100.00 milliamperes reverse current, dc absolute

#### **Terminal Surface Treatment:**

Solder

#### **Product Name:**

And-or logic array

## Voltage Rating And Type Per Characteristic:

-0.5 volts power source and 7.0 volts power source

## **Capitance Rating Per Characteristic:**

10.00 input picofarads and 10.00 output picofarads

# **Time Rating Per Chacteristic:**

25.00 nanoseconds access

# **Memory Device Type:**

Pal

# Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

# NSN 5962-01-355-3764

Memory Microcircuit - Page 2 of 2



T	erm	inal	Type	Δnd	Ou	antity	,.
ı	GIIII	ıııaı	IVDE	Allu	чu	annını	

24 printed circuit

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0