## NSN 5962-01-355-9328

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-355-9328

Overall Length:	
0.840 inches	
Overall Height:	
0.400 inches	
Body Length:	
0.840 inches	
Body Width:	
Between 0.220 inches and 0.310 inches	
Body Height:	
Between 0.140 inches and 0.185 inches	
Maximum Power Dissipation Rating:	
400.0 milliwatts	
Operating Tempurature Range:	
-55.0/+125.0 degrees celsius	
Storage Tempurature Range:	
-65.0/+150.0 degrees celsius	
Features Provided:	
Monolithic	
Inclosure Material:	
Ceramic	
Inclosure Configuration:	
Dual-in-line	
Input Circuit Pattern:	
2 input	
Design Function And Quantity:	
1 switch, analog	
Case Outline Source And Designator:	
D-2 mil-m-38510	
Current Rating Per Characteristic:	
100.00 microamperes reverse current, dc absolute	
Terminal Surface Treatment:	
Solder	
Product Name:	
High level analog switch with driver	
Voltage Rating And Type Per Characteristic:	
15.0 volts power source	
Capitance Rating Per Characteristic:	
10.00 input picofarads and 10.00 output picofarads	
Test Data Document:	
81349-mil-m-38510 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification	
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain	
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).	

## Terminal Type And Quantity:

16 printed circuit

## NSN 5962-01-355-9328

Linear Microcircuit - Page 2 of 2



**Specification Data:** 

81349-mil-m-38510/105 government specification

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A458a0