NSN 5962-01-358-7382

Linear Microcircuit - Page 1 of 1



| View Online at https://aerobasegroup.com/nsn/5962-01-358-7382 |
|---|
| Body Length: |
| Between 0.375 inches and 0.395 inches |
| Body Width: |
| Between 0.245 inches and 0.265 inches |
| Body Height: |
| 0.200 inches |
| Maximum Power Dissipation Rating: |
| 740.0 milliwatts |
| Operating Tempurature Range: |
| -55.0/+125.0 degrees celsius |
| Storage Tempurature Range: |
| -65.0/+150.0 degrees celsius |
| Features Provided: |
| Electrostatic sensitive and w/short circuit protection and monolithic |
| Inclosure Material: |
| Ceramic |
| Inclosure Configuration: |
| Dual-in-line |
| Input Circuit Pattern: |
| 2 input |
| Design Function And Quantity: |
| 1 amplifier, operational, general purpose |
| Terminal Surface Treatment: |
| Solder |
| Voltage Rating And Type Per Characteristic: |
| 40.0 volts power source |
| Terminal Type And Quantity: |
| 8 printed circuit |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |
| Fiig: |

A458a0