

View Online at <https://aerobasegroup.com/nsn/5962-01-360-1359>

**Body Length:**

1.485 inches

**Body Width:**

Between 0.240 inches and 0.310 inches

**Body Height:**

0.215 inches

**Maximum Power Dissipation Rating:**

1.0 watts

**Operating Temperature Range:**

-55.0/+125.0 degrees celsius

**Storage Temperature Range:**

-65.0/+150.0 degrees celsius

**End Application:**

6625-01-260-2936

**Features Provided:**

Hermetically sealed and burn in and monolithic and positive outputs

**Inclosure Material:**

Ceramic

**Inclosure Configuration:**

Dual-in-line

**Output Logic Form:**

Complementary-metal oxide-semiconductor logic

**Case Outline Source And Designator:**

D-15 mil-m-38510

**Current Rating Per Characteristic:**

115.00 milliamperes reverse current, dc absolute

**Terminal Surface Treatment:**

Solder

**Product Name:**

Parallel 512 x 9 fifo

**Voltage Rating And Type Per Characteristic:**

-0.5 volts power source and 7.0 volts power source

**Capitance Rating Per Characteristic:**

8.00 input picofarads and 8.00 output picofarads

**Time Rating Per Characteristic:**

65.00 nanoseconds access

**Memory Device Type:**

First-in first-out

**Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

**Terminal Type And Quantity:**

28 printed circuit

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A458a0