NSN 5962-01-360-1541

Linear Microcircuit - Page 1 of 1

Fiig: A458a0



View Online at https://aerobasegroup.com/nsn/5962-01-360-1541 **Body Length:** Between 0.165 inches and 0.185 inches **Body Outside Diameter:** Between 0.335 inches and 0.370 inches **Maximum Power Dissipation Rating:** 300.0 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Hermetically sealed and burn in and monolithic and positive outputs **Inclosure Material:** Metal **Inclosure Configuration:** Can **Design Function And Quantity:** 1 detector **Case Outline Source And Designator:** A-1 mil-m-38510 **Current Rating Per Characteristic:** 30.00 milliamperes forward current, nonrepetitive, peak total value microamperes **Terminal Surface Treatment:** Solder **Product Name:** Programmable voltage detector **Voltage Rating And Type Per Characteristic:** 30.0 volts power source **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 8 pin Shelf Life: N/a **Unit Of Measure: Demilitarization:** No