NSN 5962-01-360-4017

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-360-4017

view Offilite at https://defobasegroup.com/nsi//0302-01-300-4017
Body Length:
Between 0.075 inches and 0.105 inches
Body Outside Diameter:
Between 0.209 inches and 0.219 inches
Maximum Power Dissipation Rating:
210.0 milliwatts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Hermetically sealed and burn in and monolithic and positive outputs
Inclosure Material:
Metal
Inclosure Configuration:
Can
Input Circuit Pattern:
1 input
Design Function And Quantity:
1 reference, voltage, analog
Case Outline Source And Designator:
To-46 joint electron device engineering council
Current Rating Per Characteristic:
2.00 milliamperes average forward current averaged over a full 60-hz cycle of standard range
Terminal Surface Treatment:
Solder
Product Name:
Precision, multicurrent, zener, reference
Voltage Rating And Type Per Characteristic:
6.9 volts reference
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
2 pin
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig:

A458a0