NSN 5962-01-360-4019

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-360-4019

Body Length:
1.135 inches
Body Width:
1.135 inches
Body Height:
0.345 inches
Maximum Power Dissipation Rating:
300.0 milliwatts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Hermetically sealed and burn in and monolithic and positive outputs
Inclosure Material:
Ceramic
Inclosure Configuration:
Pin grid array
Output Logic Form:
Complementary-metal oxide-semiconductor logic
Design Function And Quantity:
1 control
Case Outline Source And Designator:
P-bc mil-m-38510
Current Rating Per Characteristic:
10.00 milliamperes reverse current, dc microamperes
Terminal Surface Treatment:
Solder
Product Name:
Bus controller, remote terminal and monitor
Voltage Rating And Type Per Characteristic:
7.0 volts power source
Capitance Rating Per Characteristic:
10.00 input picofarads and 15.00 output picofarads
Time Rating Per Chacteristic:
10.00 nanoseconds delay
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
84 pin
Shelf Life:
N/a

NSN 5962-01-360-4019

Digital Microcircuit - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0