NSN 5962-01-361-1576

Hybrid Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-361-1576 **Body Length:** 0.820 inches **Body Width:** 0.690 inches **Body Height:** 0.535 inches **Maximum Power Dissipation Rating:** 125.0 watts **Operating Tempurature Range:** -55.0/+150.0 degrees celsius Storage Tempurature Range: -55.0/+150.0 degrees celsius **Features Provided:** Hermetically sealed and burn in and monolithic **Inclosure Material:** Ceramic **Inclosure Configuration:** Single-in-line **Output Logic Form:** Metal oxide-semiconductor logic **Input Circuit Pattern:** 1 input **Design Function And Quantity:** 1 switch, field effect transistor **Terminal Surface Treatment:** Solder Voltage Rating And Type Per Characteristic: -18.0 volts power source and 18.0 volts power source **Time Rating Per Chacteristic:** 150.00 nanoseconds delay **Hybrid Technology Type:** Monolithic **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 3 pin Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

NSN 5962-01-361-1576

Hybrid Microcircuit - Page 2 of 2



Fiig:

A458a0