NSN 5962-01-362-1122



Linear Microcircuit - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5962-01-362-1122 **Body Length:** 1.573 inches **Body Width:** 1.050 inches **Body Height:** Between 0.320 inches and 0.350 inches **Maximum Power Dissipation Rating:** 3.1 watts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Hermetically sealed and burn in and monolithic **Inclosure Material:** Ceramic **Inclosure Configuration:** Can **Input Circuit Pattern:** 1 input **Design Function And Quantity:** 1 buffer **Case Outline Source And Designator:** To-3 joint electron device engineering council **Current Rating Per Characteristic:** 9.00 milliamperes reverse current, dc absolute **Terminal Surface Treatment:** Solder **Product Name:** Power buffer **Voltage Rating And Type Per Characteristic:** -22.0 volts power source and 22.0 volts power source **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

Terminal Type And Quantity:

4 pin and 1 case

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

NSN 5962-01-362-1122

Linear Microcircuit - Page 2 of 2



Fiig:

A458a0