# NSN 5962-01-363-9436

Memory Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-363-9436

# **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

# Storage Tempurature Range:

-65.0/+150.0 degrees celsius

# **End Application:**

Display conso e/i fscm 49956

## **Features Provided:**

Programmed

### **Inclosure Material:**

Ceramic

## Inclosure Configuration:

Dual-in-line

## **Output Logic Form:**

Bipolar metal-oxide semiconductor

## **Case Outline Source And Designator:**

D-2 mil-m-38510

## **Terminal Surface Treatment:**

Solder

# **Product Name:**

Microcircuit, fused msi microcontroller

# Voltage Rating And Type Per Characteristic:

5.5 volts input

# Time Rating Per Chacteristic:

40.00 nanoseconds access and 60.00 nanoseconds access

# Memory Device Type:

Prom

# **Test Data Document:**

49956-996378 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

# Terminal Type And Quantity:

16 printed circuit

#### **Specification Data:**

81349-mil-std-883/tx/ government standard

#### Shelf Life:

N/a

# Unit Of Measure:

---

# Demilitarization:

Yes - demil/mli

# Fiig:

A458a0