# NSN 5962-01-363-9442

Memory Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-363-9442

## **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

# Storage Tempurature Range:

-65.0/+150.0 degrees celsius

## **End Application:**

Display conso e/i fscm 49956

#### **Features Provided:**

Programmed

#### **Inclosure Material:**

Ceramic

## Inclosure Configuration:

Dual-in-line

#### **Output Logic Form:**

Bipolar metal-oxide semiconductor

#### **Case Outline Source And Designator:**

D-2 mil-m-38510

### **Terminal Surface Treatment:**

Solder

## **Product Name:**

Microcircuit, fused msi microcontroller

## Voltage Rating And Type Per Characteristic:

5.5 volts input

## Time Rating Per Chacteristic:

40.00 nanoseconds access and 60.00 nanoseconds access

## Memory Device Type:

Prom

## **Test Data Document:**

49956-996378-316 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

## Terminal Type And Quantity:

16 printed circuit

#### **Specification Data:**

96906-mil-std-883/tx/ government standard

#### Shelf Life:

N/a

# Unit Of Measure:

---

## Demilitarization:

Yes - demil/mli

## Fiig:

A458a0