

View Online at <https://aerobasegroup.com/nsn/5962-01-364-1268>

**Operating Temperature Range:**

-55.0/+125.0 degrees celsius

**Storage Temperature Range:**

-65.0/+150.0 degrees celsius

**End Application:**

6605-01-313-1810

**Inclosure Configuration:**

Dual-in-line

**Output Logic Form:**

Complementary-metal oxide-semiconductor logic

**Design Function And Quantity:**

1 gate, array

**Case Outline Source And Designator:**

D-5 mil-m-38510

**Product Name:**

Microcircuit, digita (gate array) readout

**Voltage Rating And Type Per Characteristic:**

-0.5 volts absolute input and 15.0 volts absolute input

**Special Features:**

Microcircuits shall be glassivated

**Precious Material And Location:**

Package cavity gold

**Precious Material:**

Gold

**Special Test Features:**

Gold eutectic die bond used in package cavity

**Test Data Document:**

94580-10082097 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Terminal Type And Quantity:**

40 printed circuit

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A458a0