NSN 5962-01-366-7473

Memory Microcircuit - Page 1 of 1



-01-366-7473

| View Online at https://aerobasegroup.com/nsn/5962- |
|--|
| Body Length: |
| Between 1.380 inches and 1.420 inches |
| Body Width: |
| Between 0.696 inches and 0.720 inches |
| Body Height: |
| Between 0.350 inches and 0.390 inches |
| Operating Tempurature Range: |
| +0.0/+70.0 degrees celsius |
| Storage Tempurature Range: |
| -40.0/+70.0 degrees celsius |
| End Application: |
| 6130-01-341-2073 analyzer-charger, battery |
| Features Provided: |
| Monolithic and w/reset and w/enable |
| Inclosure Material: |
| Ceramic or plastic |
| Inclosure Configuration: |
| Dual-in-line |
| Output Logic Form: |
| Complementary-metal oxide-semiconductor logic |
| Terminal Surface Treatment: |
| Solder |
| Product Name: |
| 65k/256k ram |
| Voltage Rating And Type Per Characteristic: |
| -1.0 volts power source and 7.0 volts power source |
| Capitance Rating Per Characteristic: |
| 5.00 input picofarads and 7.00 output picofarads |
| Time Rating Per Chacteristic: |
| 200.00 nanoseconds access |
| Memory Device Type: |
| Ram |
| Terminal Type And Quantity: |
| 28 printed circuit |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |

Fiig:

A458a0