NSN 5962-01-368-5349

Digital-linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-368-5349

View Online at https://aerobasegroup.com/nsn/5962-01-368-5349
Body Length:
Between 1.275 inches and 1.315 inches
Body Height:
Between 0.120 inches and 0.170 inches
Maximum Power Dissipation Rating:
915.0 milliwatts
Operating Tempurature Range:
-5.0 to 125.0 degrees celsius
Storage Tempurature Range:
-65.0 to 150.0 degrees celsius
Features Provided:
Hybrid and high speed and w/clock and monolithic
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Transistor-transistor logic
Input Circuit Pattern:
3 input
Design Function And Quantity:
1 converter, analog to digital
Current Rating Per Characteristic:
28.00 milliamperes supply
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
-18.0 volts power source and 18.0 volts power source
Special Features:
Hardness critical process
Nuclear Hardness Critical Feature:
Hardened
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
24 printed circuit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Demilitarization:

Yes - demil/mli

NSN 5962-01-368-5349

Digital-linear Microcircuit - Page 2 of 2



Fiig:

A458a0