NSN 5962-01-368-8551

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-368-8551 **Body Length:** 0.796 inches **Body Width:** Between 0.220 inches and 0.310 inches **Body Height:** 0.165 inches **Maximum Power Dissipation Rating:** 450.0 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Monolithic and bipolar and w/decoded output **Inclosure Material:** Ceramic **Inclosure Configuration:** Dual-in-line **Input Circuit Pattern:** 7 input **Criticality Code Justification:** Feat **Design Function And Quantity:** 1 driver, switch, field effect transistor **Current Rating Per Characteristic:** 30.00 milliamperes reverse current, dc microamperes **Terminal Surface Treatment:** Solder **Voltage Rating And Type Per Characteristic:** 50.0 volts power source **Special Features:** Nuclear hardness critical item **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 14 printed circuit Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

NSN 5962-01-368-8551

Linear Microcircuit - Page 2 of 2



Fiig:

A458a0