## NSN 5962-01-370-0980

Hybrid Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-370-0980 **Body Length:** 2.370 inches **Body Width:** 1.300 inches **Body Height:** 0.435 inches **Operating Tempurature Range:** -37.0/+71.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** Sparrow 7p bl e/i fscm 49956 **Features Provided:** Hybrid **Inclosure Configuration:** Dual-in-line **Design Function And Quantity:** 1 timer, delay **Product Name:** Time delay-hybrid Voltage Rating And Type Per Characteristic: -20.4 volts power source and 14.2 volts power source **Hybrid Technology Type:** Multichip **Test Data Document:** 81349-mil-m-38510 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). And 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 44 printed circuit **Specification Data:** 30003-917as20136 government specification **Departure From Cited Document:** Compound and colorant for particle gettering is optional Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

Fiig:

A458a0

Yes - demil/mli