

View Online at <https://aerobasegroup.com/nsn/5962-01-370-3701>

**Body Length:**

Between 0.750 inches and 0.770 inches

**Body Width:**

Between 0.260 inches and 0.300 inches

**Body Height:**

Between 0.160 inches and 0.200 inches

**Maximum Power Dissipation Rating:**

900.0 milliwatts

**Operating Temperature Range:**

-55.0/+125.0 degrees celsius

**Storage Temperature Range:**

-65.0/+150.0 degrees celsius

**End Application:**

F15 serd 8321 e/i fscm 76301

**Features Provided:**

Monolithic and high speed and low impedance and low voltage

**Inclosure Material:**

Ceramic

**Inclosure Configuration:**

Dual-in-line

**Input Circuit Pattern:**

Quad 1 input

**Design Function And Quantity:**

4 switch, analog, single pole single throw normally open

**Current Rating Per Characteristic:**

30.00 milliamperes reverse current, dc absolute

**Terminal Surface Treatment:**

Solder

**Product Name:**

Microcircuit, switch, analog, quad spst cmos

**Voltage Rating And Type Per Characteristic:**

-44.0 volts total supply and 44.0 volts total supply

**Terminal Type And Quantity:**

16 printed circuit

**Specification Data:**

81873-84001898 manufacturers specification

**Specification Or Standard:**

002 number

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A458a0