## NSN 5962-01-370-6611

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-370-6611

Body Length:
0.750 inches
Body Width:
0.750 inches
Body Height:
0.140 inches
Maximum Power Dissipation Rating:
200.0 milliwatts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Electrostatic sensitive and w/clock and w/reset and bidirectional and burn in
Inclosure Material:
Ceramic
Inclosure Configuration:
Leaded chip carrier
Output Logic Form:
Complementary-metal oxide-semiconductor logic
Input Circuit Pattern:
55 input
Criticality Code Justification:
Feat
Design Function And Quantity:
1 gate, array
Current Rating Per Characteristic:
40.00 microamperes reverse current, dc microamperes
Terminal Surface Treatment:
Solder
Product Name:
Gate array, 1553 input/output controller (ioc)
Voltage Rating And Type Per Characteristic:
-0.3 volts power source and 7.0 volts power source
Capitance Rating Per Characteristic:
5.00 input picofarads and 14.00 output picofarads
Special Features:
Application
Nuclear Hardness Critical Feature:
Hardened
Terminal Type And Quantity:

100 flat leads

## NSN 5962-01-370-6611

Digital Microcircuit - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0