NSN 5962-01-371-6812

Linear Microcircuit - Page 1 of 1

A458a0



View Online at https://aerobasegroup.com/nsn/5962-01-371-6812

view Offilite at https://defobasegroup.com/nish/0302-01-071-0012
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Inclosure Configuration:
Dual-in-line
Design Function And Quantity:
3 converter, digital to analog and 1 amplifier, operational, general purpose and 1 register
Case Outline Source And Designator:
D-5 mil-m-38510
Product Name:
Microcircuit linear, triple 8-bit, 50 mhz, vidoeodac
Voltage Rating And Type Per Characteristic:
1.14 volts reference and 1.26 volts power source
Test Data Document:
81349-mil-m-38510 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). And 96906-mil-std-885
standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
40 printed circuit
Specification Data:
05869-725005-345 manufacturers specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig: