# NSN 5962-01-372-3915

Memory Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-372-3915

Body Length	:
-------------	---

Between 1.260 inches and 1.280 inches

**Body Width:** 

Between 0.390 inches and 0.410 inches

**Body Height:** 

Between 0.205 inches and 0.225 inches

**Maximum Power Dissipation Rating:** 

1.2 watts

# **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### **Storage Tempurature Range:**

-65.0/+150.0 degrees celsius

#### **End Application:**

Eo lorops

# **Features Provided:**

Electrostatic sensitive and ultraviolet erasable and monolithic and programmable and burn in, mil-std-883, class b

#### **Inclosure Material:**

Ceramic

# **Inclosure Configuration:**

Dual-in-line

# **Criticality Code Justification:**

Feat

#### **Case Outline Source And Designator:**

D-9 mil-m-38510

# **Terminal Surface Treatment:**

Solder

# **Product Name:**

Microcircuit, programmed

#### **Voltage Rating And Type Per Characteristic:**

 $0.5 \ volts \ total \ supply \ and \ 7.0 \ volts \ total \ supply$ 

# Time Rating Per Chacteristic:

35.00 nanoseconds access

# **Memory Device Type:**

Pal

# **Special Features:**

Esd; altered item using 67268, 5962-8872602lx; checksum 46dd, file name: dshift.Jed

# **Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

# **Terminal Type And Quantity:**

24 printed circuit

# **Specification Data:**

67268-5962-88726 government standard

# NSN 5962-01-372-3915

Memory Microcircuit - Page 2 of 2



Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0