## NSN 5962-01-372-6867

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-372-6867

Body	Length:

Between 1.260 inches and 1.280 inches

**Body Width:** 

Between 0.290 inches and 0.310 inches

**Body Height:** 

Between 0.180 inches and 0.200 inches

**Operating Tempurature Range:** 

-55.0/+125.0 degrees celsius

**Storage Tempurature Range:** 

-65.0/+150.0 degrees celsius

**End Application:** 

Eo-lorops

**Features Provided:** 

Electrostatic sensitive and programmed

**Inclosure Material:** 

Ceramic

**Inclosure Configuration:** 

Dual-in-line

**Output Logic Form:** 

Complementary-metal oxide-semiconductor logic

**Input Circuit Pattern:** 

22 input

**Criticality Code Justification:** 

Feat

**Design Function And Quantity:** 

1 array, logic

**Case Outline Source And Designator:** 

D-9 mil-m-38510

**Terminal Surface Treatment:** 

Solder

**Product Name:** 

Microcircuit, programmed

Voltage Rating And Type Per Characteristic:

7.0 volts power source

**Time Rating Per Chacteristic:** 

30.00 nanoseconds propagation delay time, low to high level output and 30.00 nanoseconds propagation delay time, high to low level output

**Special Features:** 

Electrostatic discharge sensitive; altered item make from 5962-8752901la

**Test Data Document:** 

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

**Terminal Type And Quantity:** 

24 printed circuit

## NSN 5962-01-372-6867

Digital Microcircuit - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0