## NSN 5962-01-374-2039

Memory Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-374-2039

Body Length:
Between 1.415 inches and 1.460 inches
Body Width:
Between 0.545 inches and 0.560 inches
Body Height:
Between 0.145 inches and 0.155 inches
Maximum Power Dissipation Rating:
600.0 milliwatts
Operating Tempurature Range:
+0.0/+70.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Bipolar and 3-state output and w/enable and w/disable and w/inhibit and programmed and bidirectional and high impedance
Inclosure Material:
Plastic
Inclosure Configuration:
Dual-in-line Dual-in-line
Output Logic Form:
Transistor-transistor logic
Input Circuit Pattern:
16 input
Current Rating Per Characteristic:
170.00 milliamperes reverse current, dc absolute
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
7.0 volts power source
Capitance Rating Per Characteristic:
8.00 input pascal industrial factory select and 17.00 output pascal industrial factory select
Time Rating Per Chacteristic:
80.00 nanoseconds access
Memory Device Type:
Pal
Terminal Type And Quantity:
28 printed circuit
Shelf Life:
N/a
Unit Of Measure:

**Demilitarization:** Yes - demil/mli

## NSN 5962-01-374-2039

Memory Microcircuit - Page 2 of 2



Fiig:

A458a0