

View Online at <https://aerobasegroup.com/nsn/5962-01-374-2552>

**Body Length:**

Between 1.260 inches and 1.280 inches

**Body Width:**

Between 0.290 inches and 0.310 inches

**Body Height:**

Between 0.180 inches and 0.200 inches

**Maximum Power Dissipation Rating:**

1.0 watts

**Operating Temperature Range:**

-55.0/+125.0 degrees celsius

**Storage Temperature Range:**

-65.0/+150.0 degrees celsius

**End Application:**

Eo lorops

**Features Provided:**

Electrostatic sensitive and ultraviolet erasable and monolithic and programmed and burn in, mil-std-883, class b

**Inclosure Material:**

Ceramic

**Inclosure Configuration:**

Dual-in-line

**Output Logic Form:**

Complementary-metal oxide-semiconductor logic

**Criticality Code Justification:**

Feat

**Case Outline Source And Designator:**

D-9 mil-m-38510

**Terminal Surface Treatment:**

Solder

**Product Name:**

Microcircuits, digital, cmos 8k x 8 uv eprom, monolithic silicon; microcircuit, programmed

**Voltage Rating And Type Per Characteristic:**

4.5 volts total supply and 5.5 volts total supply

**Time Rating Per Characteristic:**

45.00 nanoseconds access

**Memory Device Type:**

Programmed

**Special Features:**

Electrostatic discharge sensitive; altered item, made from pn 5962-87515051a, filename 1058-u36.P82, checksum 05fc50; nha pn 1372ae1058

**Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

**Terminal Type And Quantity:**

24 printed circuit

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A458a0