NSN 5962-01-374-4826

Memory Microcircuit - Page 1 of 2

Body Length:

Demilitarization: Yes - demil/mli



View Online at https://aerobasegroup.com/nsn/5962-01-374-4826

Between 0.900 inches and 0.920 inches
Body Width:
Between 0.245 inches and 0.265 inches
Body Height:
Between 0.125 inches and 0.140 inches
Maximum Power Dissipation Rating:
1.0 watts
Operating Tempurature Range:
-40.0/+85.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Bidirectional and electrostatic sensitive and static operation and synchronous and high performance and low power and w/buffered output
and high impedance
Inclosure Material:
Plastic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Complementary-metal oxide-semiconductor logic
Input Circuit Pattern:
16 input
Current Rating Per Characteristic:
10.00 microamperes reverse current, dc blank
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
7.0 volts power source
Capitance Rating Per Characteristic:
6.00 input picofarads and 10.00 output picofarads
Time Rating Per Chacteristic:
220.00 nanoseconds access
Memory Device Type:
Ram
Terminal Type And Quantity:
18 printed circuit
Shelf Life:
N/a
Unit Of Measure:

NSN 5962-01-374-4826

Memory Microcircuit - Page 2 of 2



Fiig:

A458a0