NSN 5962-01-374-7237

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-374-7237

Body Length:
1.027 inches
Body Width:
0.520 inches
Body Height:
Between 0.120 inches and 0.170 inches
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-55.0/+150.0 degrees celsius
End Application:
Milstar e/i fscm 49956
Features Provided:
High speed and hybrid and selected item
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Design Function And Quantity:
1 converter, analog to digital
Terminal Surface Treatment:
Solder
Product Name:
Microcircuit linear a/d converter
Voltage Rating And Type Per Characteristic:
18.0 volts positive power supply span and -18.0 volts negative power supply span
Special Features:
Rescreened for milstar
Test Data Document:
81349-mil-m-38510 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). And 96906-mil-std-883
standard (includes industry or association standards, individual manufactureer standards, etc.). And 96906-mil-std-1686 standard (includes
industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
18 printed circuit
Specification Data:
13499-205-0072-020 manufacturers specification control
Purchase Description Identification:
95105-rc205-0072-020
Shelf Life:

Demilitarization:

Unit Of Measure:

N/a

NSN 5962-01-374-7237

Linear Microcircuit - Page 2 of 2



Fiig:

A458a0