NSN 5962-01-374-7244

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-374-7244

# **Body Length:**

0.785 inches

# **Body Width:**

0.310 inches

# Body Height:

0.015 inches

# **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

# Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **End Application:**

Milstar e/i fscm 49956

# **Features Provided:**

Dual edge triggered and w/clear and w/preset and selected item

#### Inclosure Material:

Ceramic

# Inclosure Configuration:

Dual-in-line

# **Output Logic Form:**

Complementary-metal oxide-semiconductor logic

# Input Circuit Pattern:

Dual 2 input

# **Design Function And Quantity:**

2 flip-flop, d-type

# **Terminal Surface Treatment:**

Solder

#### **Product Name:**

Microcircuit digital, flip flop

# Voltage Rating And Type Per Characteristic:

7.0 volts absolute input

#### **Special Features:**

Rescreened for milstar

#### **Test Data Document:**

81349-mil-m-38510 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). And 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

#### Terminal Type And Quantity:

14 printed circuit

#### **Specification Data:**

95105-205-0146-010 manufacturers specification control

# **Purchase Description Identification:**

95105-rc205-0146-010

# Shelf Life:

NI/o

# NSN 5962-01-374-7244

Digital Microcircuit - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

Yes - demil/mli

Fiig:

A458a0

