NSN 5962-01-374-7260

Memory Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-374-7260

Body Length:

21.340 millimeters

Body Width:

Between 5.590 millimeters and 7.870 millimeters

Body Height:

5.080 millimeters

Operating Tempurature Range:

-40.0/+125.0 degrees celsius

Storage Tempurature Range:

-65.0/+150.0 degrees celsius

End Application:

F15e aircraft e/i fscm 76301

Features Provided:

Bipolar and monolithic and 3-state output

Inclosure Configuration:

Dual-in-line

Output Logic Form:

Emitter-coupled logic

Terminal Surface Treatment:

Solder

Product Name:

Microcircuit, 64-bit ram tristate outputs

Voltage Rating And Type Per Characteristic:

-0.5 volts absolute input and 7.0 volts absolute input

Time Rating Per Chacteristic:

32.00 nanoseconds access

Memory Device Type:

Ram

Hybrid Technology Type:

Monolithic

Memory Capacity:

Unknown

Test Data Document:

81349-mil-m-38510 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). And 96906-mil-d-1000 standard (includes industry or association standards, individual manufactureer standards, etc.). And 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). And 96906-mil-std-130 standard (includes industry or association standards, individual manufactureer standards, etc.).

Terminal Type And Quantity:

16 printed circuit

Specification Data:

55974-6414562-1 manufacturers specification control

Shelf Life:

NI/o

NSN 5962-01-374-7260

Memory Microcircuit - Page 2 of 2



Demilitarization:

No

Fiig:

A458a0