## NSN 5962-01-374-8571

Hybrid Microcircuit - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/5962-01-374-8571             |
|---|
| Body Length:  |
| Between 2.035 inches and 2.085 inches                                     |
| Body Width:   |
| Between 0.515 inches and 0.605 inches                                     |
| Body Height:  |
| Between 0.140 inches and 0.195 inches                                     |
| Maximum Power Dissipation Rating:   |
| 1.5 watts   |
| Operating Tempurature Range:  |
| +0.0 to 70.0 degrees celsius  |
| Storage Tempurature Range:  |
| -65.0 to 150.0 degrees celsius  |
| Features Provided:  |
| Bidirectional and w/enable and programmable and high speed and monolithic |
| Inclosure Material:   |
| Ceramic   |
| Inclosure Configuration:  |
| Dual-in-line  |
| Output Logic Form:  |
| Complementary-metal oxide-semiconductor logic and hi-performance mos      |
| Input Circuit Pattern:  |
| 34 input  |
| Design Function And Quantity:   |
| 1 control   |
| Current Rating Per Characteristic:  |
| 40.00 milliamperes supply   |
| Terminal Surface Treatment:   |
| Solder  |
| Product Name:   |
| Microcontroller   |
| Voltage Rating And Type Per Characteristic:                               |
| -0.5 volts power source and 13.0 volts power source                       |
| Capitance Rating Per Characteristic:                                      |
| 10.00 input picofarads and 10.00 output picofarads                        |
| Hybrid Technology Type:   |
| Monolithic  |
| Terminal Type And Quantity:   |
| 40 printed circuit  |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |

--

## NSN 5962-01-374-8571

Hybrid Microcircuit - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A458a0