

View Online at <https://aerobasegroup.com/nsn/5962-01-374-8573>

**Body Length:**

Between 0.540 inches and 0.560 inches

**Body Width:**

Between 0.442 inches and 0.458 inches

**Body Height:**

0.105 inches

**Maximum Power Dissipation Rating:**

1.0 watts

**Operating Temperature Range:**

-55.0/+125.0 degrees celsius

**Storage Temperature Range:**

-65.0/+150.0 degrees celsius

**Features Provided:**

Electrostatic sensitive and bidirectional and w/enable and w/inhibit and monolithic

**Inclosure Material:**

Ceramic

**Inclosure Configuration:**

Leadless flat pack

**Output Logic Form:**

Complementary-metal oxide-semiconductor logic

**Input Circuit Pattern:**

26 input

**Current Rating Per Characteristic:**

60.00 milliamperes reverse current, dc absolute

**Terminal Surface Treatment:**

Solder

**Voltage Rating And Type Per Characteristic:**

-1.00 volts power source and 7.0 volts power source

**Capitance Rating Per Characteristic:**

6.00 input picofarads and 10.00 output picofarads

**Time Rating Per Chacteristic:**

350.00 nanoseconds access

**Memory Device Type:**

Eeprom

**Special Features:**

With 64-byte page write capability

**Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

**Terminal Type And Quantity:**

32 leadless

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A458a0