NSN 5962-01-376-4574

Memory Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-376-4574

Body Length:
Between 0.370 inches and 0.400 inches
Body Width:
Between 0.370 inches and 0.400 inches
Body Height:
0.100 inches
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Static operation and monolithic and electrostatic sensitive
Inclosure Material:
Ceramic
Inclosure Configuration:
Flat pack
Output Logic Form:
Emitter-coupled logic
Input Circuit Pattern:
21 input
Current Rating Per Characteristic:
150.00 milliamperes reverse current, dc absolute
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
-7.0 volts power source and 0.5 volts power source
Capitance Rating Per Characteristic:
5.00 input picofarads and 6.00 output picofarads
Time Rating Per Chacteristic:
5.00 nanoseconds access
Memory Device Type:
Ram
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.)
Terminal Type And Quantity:
24 flat leads
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Yes - demil/mli

NSN 5962-01-376-4574

Memory Microcircuit - Page 2 of 2



Fiig:

A458a0