NSN 5962-01-377-1419

Memory Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-377-1419 **Body Length:** Between 1.380 inches and 1.420 inches **Body Width:** Between 0.220 inches and 0.310 inches **Body Height:** Between 0.030 inches and 0.185 inches **Maximum Power Dissipation Rating:** 1.0 watts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Static operation and high speed and low power and 3-state output and high performance and high reliability and bidirectional **Inclosure Material:** Ceramic **Inclosure Configuration:** Dual-in-line **Output Logic Form:** Complementary-metal oxide-semiconductor logic **Input Circuit Pattern:** 25 input **Current Rating Per Characteristic:** 90.00 milliamperes supply **Terminal Surface Treatment:** Solder **Product Name:** Static ram **Voltage Rating And Type Per Characteristic:** -0.5 volts power source and 7.0 volts power source

Time Rating Per Chacteristic:

35.00 nanoseconds access

Memory Device Type:

Ram

Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

Terminal Type And Quantity:

28 printed circuit

Shelf Life:

N/a

Unit Of Measure:

NSN 5962-01-377-1419

Memory Microcircuit - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A458a0