## NSN 5962-01-377-2586

Memory Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-377-2586

| Operating Tempurature Range:                   |
|--|
| -55.0/+125.0 degrees celsius                   |
| Storage Tempurature Range:                     |
| -65.0/+150.0 degrees celsius                   |
| Features Provided:                             |
| Programmed                                     |
| Inclosure Configuration:                       |
| Dual-in-line                                   |
| Case Outline Source And Designator:            |
| D-8 mil-m-38510                                |
| Product Name:                                  |
| 16-input 4-output registered and-or gate array |
| Voltage Rating And Type Per Characteristic:    |
| 4.5 volts applied and 5.5 volts applied        |
| Memory Device Type:                            |
| Pal  |
| Hybrid Technology Type:                        |
| Monolithic                                     |
| Terminal Type And Quantity:                    |
| 20 printed circuit                             |
| Specification Data:                            |
| 67268-5962-8515504ra government standard       |
| Departure From Cited Designator:               |
| Altered by programming & marking               |
| Shelf Life:                                    |
| N/a  |
| Unit Of Measure:                               |
|  |
| Demilitarization:                              |
| Yes - demil/mli                                |
| Fiig:  |
| A458a0   |
|  |