## NSN 5962-01-378-8200

Memory Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-378-8200

**Body Length:** 2.435 inches **Body Width:** Between 0.510 inches and 0.620 inches **Body Height:** 0.210 inches **Maximum Power Dissipation Rating:** 210.0 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** W/clock and w/enable and w/disable and high impedance and 3-state output **Inclosure Material:** Ceramic **Inclosure Configuration:** Dual-in-line **Output Logic Form:** Complementary-metal oxide-semiconductor logic and hi-performance mos **Input Circuit Pattern:** 31 input **Case Outline Source And Designator:** D-14 mil-m-38510 **Current Rating Per Characteristic:** 20.00 milliamperes reverse current, dc absolute **Terminal Surface Treatment:** Solder **Product Name:** Microcontroller, rom disabled, 256 bytes ram, 512 bytes eeprom Voltage Rating And Type Per Characteristic: -0.3 volts power source and 7.0 volts power source **Capitance Rating Per Characteristic:** 14.00 input picofarads **Time Rating Per Chacteristic:** 442.00 nanoseconds access **Memory Device Type: Eeprom Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

48 printed circuit

**Terminal Type And Quantity:** 

## NSN 5962-01-378-8200

Memory Microcircuit - Page 2 of 2



Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0