NSN 5962-01-380-0039

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-380-0039

Body	Len	g	tl	h	:
_					

Between 1.280 inches and 1.335 inches

Body Width:

Between 1.280 inches and 1.335 inches

Body Height:

Between 0.070 inches and 0.145 inches

Maximum Power Dissipation Rating:

1.4 watts

Operating Tempurature Range:

-55.0/+125.0 degrees celsius

Storage Tempurature Range:

-65.0/+150.0 degrees celsius

Features Provided:

Monolithic and electrostatic sensitive and 3-state output and w/clock

Inclosure Material:

Ceramic

Inclosure Configuration:

Pin grid array

Output Logic Form:

Complementary-metal oxide-semiconductor logic

Design Function And Quantity:

1 microprocessor

Case Outline Source And Designator:

P-be mil-m-38510

Current Rating Per Characteristic:

10.00 microamperes input

Terminal Surface Treatment:

Solder

Voltage Rating And Type Per Characteristic:

-0.7 volts power source and 7.0 volts power source

Capitance Rating Per Characteristic:

11.00 input picofarads and 8.00 output picofarads

Special Features:

With mil-std-1750 instruction set architecture, full terminal connection

Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

Terminal Type And Quantity:

121 pin

Shelf Life:

N/a

Unit Of Measure:

--

NSN 5962-01-380-0039

Digital Microcircuit - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A458a0