## NSN 5962-01-381-4966

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-381-4966 **Body Length:** 1.280 inches **Body Width:** 0.310 inches **Body Height:** 0.200 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+155.0 degrees celsius **End Application:** Pacer dawn **Features Provided:** Burn in, mil-std-883, class b and electrostatic sensitive and high performance and tested to mil-std-883 and 3-state output **Inclosure Material:** Ceramic **Inclosure Configuration:** Dual-in-line **Output Logic Form:** Complementary-metal oxide-semiconductor logic **Criticality Code Justification:** Feat **Design Function And Quantity:** 1 latch **Case Outline Source And Designator:** D-9 mil-m-38510 **Terminal Surface Treatment:** Solder **Product Name:** Microcircuit, bus interface latchhigh performance, cmos **Voltage Rating And Type Per Characteristic:** 0.5 volts power source and 7.0 volts power source **Special Features:** Esd **Test Data Document:** 96906-mil-std-883c standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 24 printed circuit Shelf Life: N/a

**Unit Of Measure:** 

## NSN 5962-01-381-4966

Digital Microcircuit - Page 2 of 2



_		••	• •				
וו	em	ш	112	rız	211	n	٠.

No

Fiig:

A458a0