NSN 5962-01-381-7386

Memory Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-381-7386

Body Length: 1.280 inches **Body Width:** Between 0.220 inches and 0.310 inches **Body Height:** 0.140 inches **Maximum Power Dissipation Rating:** 1.0 watts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Programmable and tested to mil-std-883 **Inclosure Configuration:** Dual-in-line **Output Logic Form:** Complementary-metal oxide-semiconductor logic **Case Outline Source And Designator:** D-9 mil-m-38510 **Terminal Surface Treatment:** Solder **Product Name:** Microcircuit digital, 1kx8 prom **Voltage Rating And Type Per Characteristic:** 4.5 volts applied and 5.5 volts applied **Time Rating Per Chacteristic:** 45.00 nanoseconds access **Memory Device Type:** Prom **Hybrid Technology Type:** Monolithic **Test Data Document:** 81349-mil-m-38510 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Terminal Type And Quantity:** 24 printed circuit **Specification Data:**

Shelf Life:

67268-5962-87651 government standard

Specification Or Standard: 01 type and I case and a finish

N/a

NSN 5962-01-381-7386

Memory Microcircuit - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A458a0