NSN 5962-01-381-7809

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-381-7809

Body Length:
Between 1.022 inches and 1.040 inches
Body Width:
Between 0.240 inches and 0.280 inches
Body Height:
Between 0.110 inches and 0.150 inches
Maximum Power Dissipation Rating:
0.5 watts
Operating Tempurature Range:
+0.0/+70.0 degrees celsius
Storage Tempurature Range:
-55.0/+125.0 degrees celsius
Features Provided:
Asynchronous and w/enable and monolithic and w/disable
Inclosure Material:
Plastic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Complementary-metal oxide-semiconductor logic
Input Circuit Pattern:
10 input
Design Function And Quantity:
1 buffer and 1 transceiver
Current Rating Per Characteristic:
14.50 milliamperes supply
Terminal Surface Treatment:
Solder
Product Name:
Noninverting buffer transceiver
Voltage Rating And Type Per Characteristic:
-0.5 volts power source and 7.0 volts power source
Capitance Rating Per Characteristic:
10.00 input picofarads and 12.00 output picofarads
Time Rating Per Chacteristic:
4.60 nanoseconds propagation delay time, high to low level output and 4.60 nanoseconds propagation delay time, low to high level output
Terminal Type And Quantity:
20 printed circuit
Shelf Life:
N/a
Unit Of Measure:

--

NSN 5962-01-381-7809

Digital Microcircuit - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A458a0