## NSN 5962-01-381-8390

Hybrid Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-381-8390

Overall Length:
Between 0.452 inches and 0.521 inches
Overall Height:
Between 0.452 inches and 0.521 inches
Body Length:
Between 0.142 inches and 0.181 inches
Body Outside Diameter:
Between 0.595 inches and 0.605 inches
Maximum Power Dissipation Rating:
4.0 watts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
Generator
Inclosure Material:
Metal
Inclosure Configuration:
Can
Input Circuit Pattern:
2 input
Design Function And Quantity:
1 amplifier, hybrid
Current Rating Per Characteristic:
100.00 milliamperes average forward current averaged over a full 60-hz cycle not applicable
Terminal Surface Treatment:
Gold
Product Name:
Linear wide band operational amplifier
Voltage Rating And Type Per Characteristic:
5.0 volts power source and 15.0 volts power source
Hybrid Technology Type:
Monolithic
Precious Material And Location:

Terminal surfaces gold

**Precious Material:** 

Gold

## **Test Data Document:**

96906-mil standard 883 standard (includes industry or association standards, individual manufactureer standards, etc.). And 91349-mil h 38534 standard (includes industry or association standards, individual manufactureer standards, etc.).

## **Terminal Type And Quantity:**

12 pin

## NSN 5962-01-381-8390

Hybrid Microcircuit - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0