NSN 5962-01-385-7204

Hybrid Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-385-7204 **Body Length:** 1.270 inches **Body Width:** 1.270 inches **Body Height:** 0.175 inches **Maximum Power Dissipation Rating:** 4.0 watts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Features Provided:** W/strobe and electrostatic sensitive **Inclosure Material:** Ceramic **Inclosure Configuration:** Dual-in-line **Output Logic Form:** Transistor-transistor logic **Input Circuit Pattern:** 7 input **Design Function And Quantity:** 1 receiver and 1 driver **Current Rating Per Characteristic:** 300.00 milliamperes average forward current averaged over a full 60-hz cycle not applicable **Terminal Surface Treatment:** Solder Voltage Rating And Type Per Characteristic: -18.0 volts power source and 18.0 volts power source **Hybrid Technology Type:** Monolithic **Nuclear Hardness Critical Feature:** Hardened **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 34 pin Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

NSN 5962-01-385-7204

Hybrid Microcircuit - Page 2 of 2



Fiig:

A458a0